



**60" TO 96" PRECAST BASE**  
(SEE TABLE FOR MAXIMUM PIPE SIZES)

**TABLE FOR PRECAST MANHOLE BASE SECTIONS**


BASE I.D.	MIN. "T"	MAX. PIPE SIZE
48"	5"	30"
60"	5"	36"
72"	6"	48"
84"	7"	54"
90"	7 1/2"	60"
96"	8"	60"



**FLAT SLAB TOP**



**FLAT SLAB TOP**



**FLAT SLAB TRANSITION**



**FAIRBORN**  
A CITY IN MOTION

ENGINEERING DIVISION  
44 W. HEBBLE AVENUE FAIRBORN, OHIO 45324  
PH: (937) 754-3055 FX: (937) 879-7395

**LARGE DIAMETER SANITARY MANHOLE**

**NOTE 1:** DRAWING VALID ONLY WHEN USED AS SHOWN AND IN CONJUNCTION WITH OTHER FAIRBORN ENGINEERING SPECIFICATIONS AND/OR DETAILS. THIS DRAWING REPRESENTS MINIMUM STANDARDS. ANY MODIFICATIONS TO THIS DETAIL SHALL FIRST BE SUBMITTED TO THE CITY ENGINEER FOR APPROVAL.

**NOTE 2:** CALL THE FOLLOWING AGENCIES AT LEAST 48 HOURS IN ADVANCE OF ANY EXCAVATION:  
**O.U.P.S. AT 8-1-1 AND O.A.G.P.U.P.S. AT (800) 925-0988**

REV NO.	REV DATE	REV DESCRIPTION	REV NO.	REV DATE	REV DESCRIPTION

DWG NO: **SS-2.3**

ISSUE DATE: **03/14/2017**

ENG'R: **MAJ**

APPROVED: **DPO**

SCALE: **NONE**

FILE: