




4" x 4" TREATED WOOD LOCATOR POST, EXPOSED PORTION PAINTED GREEN



BUILDING CONNECTIONS

- ① 4" TEE OR WYE (WYE PREFERRED) ROTATED 45° FROM HORIZONTAL, UNLESS OTHERWISE SPECIFIED.
- ② 4" 1/8 BEND AS NEEDED.
- ③ CAP UNLESS JOINING EXISTING BUILDING CONNECTION.
- ④ 4" GRANULAR PIPE BEDDING AND 4" GRANULAR BACKFILL TO 4" OVER TOP OF PIPE. GRANULAR MATERIAL SHALL BE NO. 57 OR CRUSHED NO.8 STONE.
- ⑤ RECORD EXACT LOCATIONS OF BENDS AS TO DEPTH FROM SURFACE AND DISTANCE FROM C/L OF SEWER MAIN BEFORE BACKFILL IS PLACED.



FAIRBORN
A CITY IN MOTION

ENGINEERING DIVISION
44 W. HEBBLE AVENUE FAIRBORN, OHIO 45324
PH: (937) 754-3055 FX: (937) 879-7395

SANITARY LATERAL CONNECTION

DWG NO: **SS-3.0**

NOTE 1: DRAWING VALID ONLY WHEN USED AS SHOWN AND IN CONJUNCTION WITH OTHER FAIRBORN ENGINEERING SPECIFICATIONS AND/OR DETAILS. THIS DRAWING REPRESENTS MINIMUM STANDARDS. ANY MODIFICATIONS TO THIS DETAIL SHALL FIRST BE SUBMITTED TO THE CITY ENGINEER FOR APPROVAL.

ISSUE DATE: **01/25/2019**

NOTE 2: CALL THE FOLLOWING AGENCIES AT LEAST 48 HOURS IN ADVANCE OF ANY EXCAVATION:
O.U.P.S. AT 8-1-1 AND O.A.G.P.U.P.S. AT (800) 925-0988

ENG'R: **MAJ**

APPROVED: **TLH**

SCALE: **NONE**

FILE:

REV NO.	REV DATE	REV DESCRIPTION	REV NO.	REV DATE	REV DESCRIPTION